

13 Plafo>The LED Plafo Outdoor

## 67280AN/AN/W



24W LED plafo light, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	13 Plafo
Family	The LED Plafo Outdoor
Order Code	67280AN/AN/W
Colour	Anthracite
Material	Plastic
Diffuser Material	PC
Shape	Circular
Height	83mm
Diameter	300mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable
IK Rating

No
8

## Electrical Characteristics

Gear
------

Built In
----------

### Fitting + Driver


Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

220-240V
Yes
Yes

24W
IP65
LED built in
No


### Fitting


Input Type
Input Current
Voltage
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number
F Mark

Constant Current
600mA
38V
22,8W
IP65
LED built in
SMD 2835
Epistar
121



### Gear

Gear Type
-----------

Led Driver
------------

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	15,6-26W
Power Factor	0,9
Constant Current	Yes
600mA	26-43,5V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise

#### Illumination Data

Colour Temperature	3000K
Lumen Output	1440lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Length	30,5cm
Box Width	30,5cm
Box Height	8,5cm
Box Weight	1.230kg
Pcs/Carton	10
Barcode	5291889043331
HS Code	9405114090

Warranty

2 years

switch to  
**one light!**

one  
LIGHT

